

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/622,165	07/17/2003	Rolf Schaller	706634US1 2166	
24938 DAIMLERCH	7590 05/10/200 RYSLER INTELLECT	EXAMINER		
CIMS 483-02-	19	RUTHKOSKY, MARK		
800 CHRYSLE AUBURN HIL	ER DR EAST LS, MI 48326-2757	ART UNIT	PAPER NUMBER	
	_ <b>,</b>		1745	
			MAIL DATE	DELIVERY MODE
	•		05/10/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Арр	lication No.	Applicant(s)				
Office Action Summary		10/6	322,165	SCHALLER ET A	L.			
		Exa	niner	Art Unit				
			Ruthkosky	1745				
Period fo	The MAILING DATE of this commu or Reply	nication appears (	on the cover sheet with the	correspondence ac	idress			
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE NO SIGN SIX (6) MONTHS from the mailing date of this come of period for reply is specified above, the maximum is reto reply within the set or extended period for reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE C s of 37 CFR 1.136(a). In munication. tatutory period will apply y will, by statute, cause	OF THIS COMMUNICATION no event, however, may a reply be and will expire SIX (6) MONTHS fro the application to become ABANDON	ON. timely filed m the mailing date of this o IED (35 U.S.C. § 133).	,			
Status								
1)⊠	Responsive to communication(s) file	ed on <i>07 March</i> :	2007.					
· —	, ,	2b) This actio						
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🖂	4)⊠ Claim(s) <u>1-5</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) <u>1-5</u> is/are rejected. 7) ☐ Claim(s) is/are objected to.							
6)⊠								
7)								
8)□	Claim(s) are subject to restri	ction and/or elec	tion requirement.					
Applicati	on Papers							
9)[	The specification is objected to by the	e Examiner.						
10)	The drawing(s) filed on is/are	: a) <mark>□ accepted</mark>	or b) objected to by the	Examiner.				
	Applicant may not request that any object	ction to the drawin	g(s) be held in abeyance. S	ee 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11)	The oath or declaration is objected t	o by the Examin	er. Note the attached Office	e Action or form P	TO-152.			
Priority (	ınder 35 U.S.C. § 119				•			
_	Acknowledgment is made of a claim ☐ All b)☐ Some * c)☐ None of:	for foreign priori	ty under 35 U.S.C. § 119(	a)-(d) or (f).				
	1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No								
	3. Copies of the certified copies	of the priority do	cuments have been recei	ved in this National	Stage			
	application from the Internation	onal Bureau (PC	Γ Rule 17.2(a)).					
* 5	See the attached detailed Office action	on for a list of the	certified copies not receive	/ed.				
Attachmen	, ,		🗖					
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (I	PTO-948)	4) Interview Summar Paper No(s)/Mail I					
3) Infor	mation Disclosure Statement(s) (PTO/SB/08)	. 0 0 .0,	5) D Notice of Informal					
Pape	r No(s)/Mail Date		6)					

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-5 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for "incorporating the cathode exhaust line into an outer housing of the fuel cell or other component", does not reasonably provide enablement for "a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of a fuel cell." The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims. Further, the amendment is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: "a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of a fuel cell." With regard to the housing, the instant specification only indicates, "incorporating the cathode exhaust line into an outer housing of the fuel cell or other component." Applicant is required to cancel the new matter in the reply to this Office Action.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-4 are rejected under 35 U.S.C. 102(e) as being anticipated by Xu (US 6,551,732.)

The instant claims are to a fuel cell system comprising a fuel cell having a housing enclosing an anode chamber, a proton exchange membrane and a cathode chamber, the cathode chamber being separated from the anode chamber by the proton exchange membrane, the housing adapted to transfer waste heat of the fuel cell; a cathode supply line coupled to a supply of compressed oxygen-containing gas and to the cathode chamber; a fuel supply coupled to the anode chamber; a cathode exhaust gas line; a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of the fuel cell; and an expansion turbine, the cathode exhaust gas line fluidly connecting the cathode chamber and the expansion turbine, the heat exchanger being thermally coupled to the cathode exhaust gas line between the cathode chamber and the expansion turbine, whereby the heat exchanger transfers heat energy from the fuel cell to cathode exhaust gas flowing through the cathode exhaust gas line. With regard to the limitation "a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of the fuel

cell", a recitation of the intended use of the claimed invention, such as "for receiving" has been considered but is not given patentable weight. The heat exchanger is capable of receiving waste heat from the housing of the fuel cell.

Xu (US 6,551,732) teaches a fuel cell system comprising a fuel cell having a housing enclosing an anode chamber, a proton exchange membrane and a cathode chamber, the cathode chamber being separated from the anode chamber by the proton exchange membrane; a cathode supply line coupled to a supply of compressed oxygen-containing gas and to the cathode chamber; a fuel supply coupled to the anode chamber; a cathode exhaust gas line; a heat exchanger coupled to the fuel cell for receiving waste heat of the fuel cell; and an expansion turbine (cols. 5-6 and figure 1.) The casing inherently transfers heat to the ambient. A combustor is connected to the cathode exhaust line to exchange the combusted heat and direct the cathode exhaust to the expansion turbine. The cathode exhaust gas line fluidly connects the cathode chamber and the expansion turbine with the heat exchanger being thermally coupled to the cathode exhaust gas line between the cathode chamber and the expansion turbine. The heat exchanger transfers heat energy from the fuel cell to cathode exhaust gas flowing through the cathode exhaust gas line.

Claims 1-5 are rejected under 35 U.S.C. 102(e) as being anticipated by Cownden et al. (US 6,316,134.)

Cownden et al. (US 6,316,134) teaches a fuel cell system comprising a fuel cell having a housing enclosing an anode chamber, a proton exchange membrane and a cathode chamber, the cathode chamber being separated from the anode chamber by the proton exchange membrane,

Application/Control Number: 10/622,165 Page 5

Art Unit: 1745

the housing adapted to transfer waste heat of the fuel cell; a cathode supply line coupled to a supply of compressed oxygen-containing gas and to the cathode chamber; a fuel supply coupled to the anode chamber; a cathode exhaust gas line; a heat exchanger coupled to the fuel cell for receiving waste heat of the fuel cell; and an expansion turbine, the cathode exhaust gas line fluidly connecting the cathode chamber and the expansion turbine, the heat exchanger being thermally coupled to the cathode exhaust gas line between the cathode chamber and the expansion turbine, whereby the heat exchanger transfers heat energy from the fuel cell to cathode exhaust gas flowing through the cathode exhaust gas line (claims, col. 17, line 45 to col. 18, line 55.) The cathode exhaust stream is advantageously used as a heat transfer fluid to assist in the thermal management of a fuel cell. Water in the cathode exhaust is condensed at low temperature and is removed through a water separator. The water is use to for reforming fuel and heat exchange. The cathode exhaust is used in an expansion turbine (col. 17, lines 45-end.) With regard to the limitation "a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of the fuel cell", a recitation of the intended use of the claimed invention, such as "for receiving" has been considered but is not given patentable weight. The heat exchanger is capable of receiving waste heat from the housing of the fuel cell. Thus, the claims are anticipated.

#### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Application/Control Number: 10/622,165

Art Unit: 1745

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Xu (US 6,551,732) in view of Cownden et al. (US 6,316,134.)

The teachings of Xu (US 6,551,732) have been presented. The Xu (US 6,551,732) reference does not teach a cathode exhaust cooler and water separator connected between the cathode chamber and the heat exchanger. Cownden et al. (US 6,316,134,) however, teaches a PEM fuel cell with an anode chamber, a cathode chamber and a polymer electrolyte (claims, col. 17, line 45 to col. 18, line 55.) The cathode exhaust stream is advantageously used as a heat transfer fluid to assist in the thermal management of a fuel cell. Water in the cathode exhaust is condensed at low temperature and is removed through a water separator. The water is use to for reforming fuel and heat exchange. The cathode exhaust is used in an expansion turbine (col. 17, lines 45-end.) It would be obvious to one of ordinary skill in the art at the time the invention was made to include a cathode exhaust cooler and water separator connected between the cathode chamber and the heat exchanger of Xu in order to accumulate water for the reforming process taught in both references. The skilled artesian would employ the excess water of Xu in order to reform a fuel source as taught in Cownden et al. (US 6,316,134.) The artesian would have found the claimed invention to be obvious in light of the teachings of the references.

### Response to Arguments

Applicant's arguments filed 3/7/2007 have been fully considered but they are not persuasive.

Rejection under 35 U.S.C. 112, first paragraph. Applicant argues that, "the Examiner's allegation that the specification does not support 'a heat exchanger coupled to the fuel cell for receiving waste heat from the housing' is not understood." As support for this limitation, Applicant states that, "As seen from Paragraph 18, page 4, of the specification, Applicants clearly explain that waste heat can be transferred by, for example, incorporating the cathode exhaust line 24 into an outer housing of the fuel cell. Additionally, originally submitted claim 1 called for "the housing adapted to transfer waste heat of the fuel cell". Neither of these statements disclose the added material which is not supported by the original disclosure as follows: "a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of a fuel cell." No heat exchanger is taught coupled to the fuel cell.

Rejection under 35 U.S.C. 102(e) by Xu (US 6,551,732.) Applicant argues that what is not taught, claimed or suggested by Xu or the remaining prior art of record is to recover that waste heat emanating from the fuel cell housing and to thermally couple that heat energy to the cathode exhaust gas line, thereby rendering the fuel cell system more energy efficient. This is not persuasive. Applicant acknowledges that the fuel cell reactions are known to be exothermic and generate excess heat. Heat exits the fuel cell via anode and cathode exhaust lines to a combustor, which couples the anode exhaust line with the cathode exhaust line in a heat-exchanging arrangement. Further, any unreacted, excess hydrogen in the anode exhaust is burned in a combustor with the cathode exhaust and the resulting, heated, cathode exhaust, which is predominately oxygen, flows to the expander. The expander is coupled to the air compressor cathode source (col. 6, line 28 or the flow is used in a reforming process, (col. 6, lines 12-25.) Thus, the heat exchanger receives waste heat of the fuel cell and transfers heat

energy from the fuel cell to the cathode exhaust gas flowing through the cathode exhaust gas line. In focusing on the claim language, these teachings anticipate the claimed invention.

With regard to the limitation "a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of the fuel cell", the recitation of the intended use of the claimed invention, "for receiving" has been considered but is not given patentable weight as noted in the rejection. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In this case, the prior art structure is capable of performing the intended use. The interior and exterior surrounding environments will receive waste heat from the housing. The intended use statement of the claim does not require that the housing is physically coupled to the heat exchanger. The heat exchanger needs only to be capable of accepting heat from the housing. Heat exchange between elements of a fuel cell will inherently occur with heat flowing from warmer areas of the fuel cell to cooler areas of the fuel cell.

Rejection under 35 U.S.C. 102(e) by Cownden et al. (US 6,316,134.) Applicant argues that, "the Cownden et al contains no teaching or suggestion of taking waste heat from the housing of a fuel cell and transferring the waste heat energy to the cathode exhaust flow via a heat exchanger coupled between the fuel cell housing and the cathode exhaust gas line." The Cownden reference teaches a cathode oxidant exhaust stream that acts as a coolant fluid in several fuel cell system components (see col. 17, line 45 to col. 18, line 55.) In col. 18, line 13, the reference refers to the cathode exhaust stream as an indirect heat exchanger. The flow of the exhaust through the exhaust path coupled with the fuel cell forms a heat exchanger. The flow is

Application/Control Number: 10/622,165

Art Unit: 1745

from the cathode and the flow is directed to a turbine (col. 18, line 37.) Thus, the heat exchanger receives waste heat of the fuel cell and transfers heat energy from the fuel cell to the cathode exhaust gas flowing through the cathode exhaust gas line (col. 17, line 45 to end.)

With regard to the limitation "a heat exchanger coupled to the fuel cell for receiving waste heat from the housing of the fuel cell", the recitation of the intended use of the claimed invention, "for receiving" has been considered but is not given patentable weight as noted in the rejection. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In this case, the prior art structure is capable of performing the intended use. The interior and exterior surrounding environments will receive waste heat from the housing. The intended use statement of the claim does not require that the housing is physically coupled to the heat exchanger. The heat exchanger needs only to be capable of accepting heat from the housing. Heat exchange between elements of a fuel cell will inherently occur with heat flowing from warmer areas of the fuel cell to cooler areas of the fuel cell.

For these reasons, applicant's arguments are not persuasive.

## Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

Application/Control Number: 10/622,165 Page 10

Art Unit: 1745

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

## Examiner Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Ruthkosky whose telephone number is 571-272-1291. The examiner can normally be reached on FLEX schedule (generally, Monday-Thursday from 9:00-6:30.) If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached at 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free.)

Mark Ruthkosky
Primary Patent Examiner

Art Unit 1745

MARK RUTHKOOKY PRIMARY EXAMINER Mulfutty 5.7. 2007